



MINIMAL TRACK

Playful Minimalism

MINIMAL TRACK CATALOGUE 2022

ENGLISH

All technical information and values (e.g. lumen, output, beam angle or dimensions) correspond to the printing date or the creation date of this document and will not necessarily be updated!
All changes and adaptations that serve to improve our products can be carried out without prior notice!

The latest data sheets can be configured at www.prolicht.at!

VERSATILE AND ALMOST INVISIBLE

The innovative MINIMAL TRACK lighting system combines pure minimalism with the latest technology. Its ultra-compact design makes the sophisticated technology almost invisible, leaving only elegant lines that integrate perfectly into the interior design.



PHOTO | GÜNTHER EGGER



VISUALLY TRIMLESS

The MINIMAL TRACK with a height of only 9,5mm can be discreetly inserted into the architecture and at the same time convinces with all the advantages of a surface-mounted installation.



TRACK


- 12-17 TECHNICAL OVERVIEW
- 18-21 CONNECTORS TRACK
- 22-25 CURVED TRACK

INSERTS

- 26-35 OVERVIEW
- 36-41 IMAGINE MICRO
- 42-43 MAGIQ MICRO
- 44-45 MICRO LINE
- 46-51 DISQ ROUND & SQUARE
- 52-61 SNOOKER
- 62-69 HANGOVER
- 70-77 MELT
- 78-81 OPAL
- 82-93 PLUG ACCESSORIES
- 94-97 CONTROL
- 98-101 CONFIGURATION

PRODUCT LIST

- 102-115 MINIMAL TRACK





MINIMAL TRACK

MINIMAL ESSENCE

Minimalistic design, minimal installation effort, tailor-made result in the most simple way.

The MINIMAL TRACK allows you to simply design any line you want – available with 90° integrated connectors for elbows on the same surface or to jump ceiling to wall or T- and X-connectors with two different aesthetics to match various tastes in interior design. The track can be easily cut on site to perfectly fulfil any project requirements.




COLOR MAKES A DIFFERENCE

Unique colors and finishes, with infinite combinations, enable a holistic interior design concept to be completed or certain highlights to be created with our 25 PROLICHT colors. RAL Classic or any other special color is available on request.




EASY INTEGRATION

TRACK MOUNTING




TRACK MOUNTING The track is conceived to be easily cut on site, and directly screwed to the ceiling for a tailor-made result in each installation.
Article-Number for a set of 50 pieces of mounting screws: 800-1427

CROSSINGS




CROSSINGS Complex connection pieces belong to the past with MINIMAL TRACK. The linear elements can be used to create crossings in the easiest way. Even after the installation, adaptations can be made with minimal effort.

ELECTRICAL CONNECTION




ELECTRICAL CONNECTION Every T-Connector is enclosed with one, every X connector with two flexible cross adapters. An electrical connection of the pieces can be established with these components with ease.

COVERING THE CROSSINGS




COVERING THE CROSSINGS Whether as a colorful accent in the PROLICHT colors or synchronized with the color of the track, the covers are placed as a final step.

INSERTS



INSERTS Place and remove any insert wherever you want by simply pulling it out and snapping it in without any tools needed.

TRACKMASK



TRACKMASK A black flexible rubber cover, easy to cut directly on site after positioning the inserts and integrated inside the track, is the final touch to furtherly minimize the appearance of the MINIMAL TRACK.



STRAIGHT LINES

- A

LINEAR CONNECTOR

COLOR: BLACK

ART.-Nº: 350-1868
- B

FLAT CORNER CONNECTOR

COLOR: BLACK

ART.-Nº: 350-1869
- C

DIHEDRAL CONNECTOR

COLOR: BLACK

ART.-Nº: 350-1870
- D

90° DUMMY TRACK
QUICK INSTALLATION

COLOR: BLACK

ART.-Nº: 350-1876
- E

90° DIHEDRAL DUMMY TRACK
QUICK INSTALLATION

COLOR: BLACK

ART.-Nº: 350-1877
- F

ENDCAP TRACK

COLOR: BLACK

ART.-Nº: 350-1872
- G

X-CONNECTOR

AVAILABLE IN 25 PROLICHT COLORS

ART.-Nº: 350-1994
- H

T-CONNECTOR

AVAILABLE IN 25 PROLICHT COLORS

ART.-Nº: 350-1995



RAL Classic or any other special color on request



INSPIRATION | VENTURE MEDIA

IMAGINE MICRO | COLOR 02 BLACK VELVET | MICRO LINE



D QUICK CONNECTOR
To guarantee a quick and easy installation, we offer additional track components. This black connector is especially suited to facilitate the installation of the MINIMAL TRACK.



B MITER JOINT
The track is designed to be easily cut on site and for a seamless installation of corner elements it is possible to cut the extremities of straight elements at an angle of 45° for a miter-joint connection. If other angles are needed - for a sloping roof for example - the joint can be individualized with a flexible connector.



D QUICK CONNECTOR WALL TO CEILING



B MITER JOINT WALL TO CEILING

YOUR PERFECT CURVE!


The MINIMAL TRACK offers many solutions to compose curved profiles, with 45, 90° and 180° curved connectors. Individualized solutions can be evaluated on request.

All of the curved elements are available in the 25 PROLICHT colors.


A CURVED CONNECTOR Ø400MM / 90°
AVAILABLE IN 25 PROLICHT COLORS
ART.-N°: 350-1892




B CURVED CONNECTOR Ø800MM / 45°
AVAILABLE IN 25 PROLICHT COLORS
ART.-N°: 350-1893





C CURVED TRACK Ø1600MM / 45°
AVAILABLE IN 25 PROLICHT COLORS
ART.-N°: 350-1894



D CURVED Ø1600MM / 90°
AVAILABLE IN 25 PROLICHT COLORS
ART.-N°: 350-1895



E CURVED TRACK Ø1600MM / 180°
AVAILABLE IN 25 PROLICHT COLORS
ART.-N°: 350-1904



RAL Classic or any other special color on request






PHOTO | ARMIN KUPRIAN

INSERT: SNOOKER SHINE - 02 BLACK VELVET | SHINE RING WHITE

INSERTS



PHOTO: GUNTHER EGGER



MINIMAL TRACK offers a wide variety of inserts - the selection ranges from pendant luminaires over indirectly illuminated DISQs to decorative elements. The system guarantees exceptional flexibility to adapt the lighting concept to any room situation. Optional components and colored accessories allow unlimited scope for individualized design concepts. This lighting system is not only suitable for creating the perfect lighting atmosphere, but also adds individuality and exceptionality to any space.

INSERTS OVERVIEW

A **IMAGINE MICRO 20**

AVAILABLE IN 25 PROLICHT COLORS
ART.-N°: 7-02120-02



B IMAGINE MICRO 35

AVAILABLE IN 25 PROLICHT COLORS
ART.-N°: 7-02121-02



COLOR: BLACK
ART.-N°: 7-02400-02



D MICROLINE

COLOR: BLACK
ART.-N°: 7-02403-02



E SNOOKER

AVAILABLE IN 25 PROLICHT COLORS
ART.-N°: 7-02232-02



SNOOKER METAL

AVAILABLE IN CHROME FINISH
ART.-N°: 7-02409-02



F HANGOVER

AVAILABLE IN 25 PROLICHT COLORS
ART.-Nº: 7-02236-02



G DISQ ROUND

AVAILABLE IN 25 PROLICHT COLORS
ART.-Nº: 7-02153-02



DISQ ROUND METAL

AVAILABLE IN 3 FINISHES
ART.-N°: 7-02152-02



COPPER



STAINLESS STEEL



CHROM

 DISQ SQUARE

AVAILABLE IN 25 PROLICHT COLORS
ART.-Nº: 7-02155-02



DISQ SQUARE METAL

AVAILABLE IN 3 FINISHES
ART.-N°: 7-02154-02



COPPER






STAINLESS STEEL



CHROM







OPAL SMALL



MELT MINI LED



PHOTO | ARMIN KUPRIAN

MINIMAL TRACK, COLOR 02 BLACK | IMAGINE MICRO

IMAGINE MICRO
The ultra-compact design makes the sophisticated technology almost invisible, leaving only elegant lines that integrate perfectly into the interior design. The IMAGINE MICRO spotlights are available in 25 PROLICHT colors. Special colors can be ordered on request.

IMAGINE MICRO 20 ART.-N° 7-02120-02	IMAGINE MICRO 35 ART.-N° 7-02121-02
Ø 23mm L: 72 mm	Ø 35 mm L: 95 mm
LUMEN MAX. 202 lm	LUMEN MAX. 515 lm
WATT 3.7 W	WATT 8.6 W
CCT 2700 K 3000 K 4000 K	CCT 2700 K 3000 K 4000 K
 ±90° 360°	 ±90° 360°
BEAMWIDTH	BEAMWIDTH
 SPOT 16°	 MEDIUM 26°
25 PROLICHT COLORS	25 PROLICHT COLORS

IMAGINE MICRO 20 ART.-N° 7-02120-02	IMAGINE MICRO 35 ART.-N° 7-02121-02
Ø 23mm L: 72 mm	Ø 35 mm L: 95 mm
LUMEN MAX. 202 lm	LUMEN MAX. 515 lm
WATT 3.7 W	WATT 8.6 W
CCT 2700 K 3000 K 4000 K	CCT 2700 K 3000 K 4000 K
 ±90° 360°	 ±90° 360°
BEAMWIDTH	BEAMWIDTH
 SPOT 16°	 MEDIUM 26°
25 PROLICHT COLORS	25 PROLICHT COLORS

YOUR PERFECT FOCUSING For the perfect definition of your light setting, not only each spot can be tilted from 0° to 90° and rotated 355°, but comes also equipped with a tool-less locking system, to fix in position the desired rotation, even when spots are installed in a vertical track but comes also equipped with a tool-less locking system. The spots can be easily fixed in the desired position, even when they are installed in a vertical track.





PHOTO JARMIN KUPRIAN



INSPIRATION | AUREL PETIC

MAGIQ MICRO

The MAGIQ MICRO is part of the MAGIQ family and works with DALI, CASAMBI or PUSH DIM. The inserts can be lined up to fill the whole track with the MAGIQ inserts while the distance of the single dots stays always the same. This leads to a coherent appearance of the system and uniform illumination.



MAGIQ MICRO
ART.-N° 7-02400-02

L: 300mm x 11 H:7 mm

LUMEN MAX.

429 lm

WATT

7,3 W

CCT

2700 K

3000 K



INSPIRATION | AUREL PETIC

MICROLINE

MICROLINE
The specially developed LED Lines can be controlled individually with DALI, CASAMBI and PUSH DIM. The MICROLINE is an essential part of the range of inserts for the MINIMAL TRACK and offers shadowfree LED lines to be integrated into the architecture. Within the track, the lines are seamlessly installed and keep the appearance of the track as minimalistic as intended.

		
MICROLINE ART.-N° 7-02401-02	MICROLINE ART.-N° 7-02402-02	MICROLINE ART.-N° 7-02403-02
L: 674 mm (508+166)	L: 1174 mm (1008+166)	L: 1674 mm (1508+166)
LUMEN MAX.	LUMEN MAX.	LUMEN MAX.
429 lm	858 lm	1287 lm
WATT	WATT	WATT
8 W	15.8 W	24 W
CCT	CCT	CCT
2700 K 3000 K	2700 K 3000 K	2700 K 3000 K





PHOTO: FARMIL KUBRIAN

DISQ ROUND COLOR, COLOR 02 BLACK VELVET | DISQ SQUARE, STAINLESS STEEL

DISQ ROUND and DISQ SQUARE are new inserts for the MINIMAL TRACK, offering refined complements to the family. With its discrete 2700K indirect emission and its DALI DIM functionality, DISQ offers maximum lighting comfort.

The inserts are available in two different versions: with a metal plate, which is available in copper, chrome or a stainless steel finish, and a color version, that can be individualized in our 25 PROLICHT colors.



DISQ ROUND METAL
ART.-N° 7-02152-02

Ø 206 mm

LUMEN MAX.
400 lm

WATT
5.1 W

CCT
2700 K

COVER WITH METAL FINISH




COOPER STAINLESS STEEL CHROME

DISQ ROUND
ART.-N° 7-02153-02

Ø 206 mm

25 PROLICHT COLORS



DISQ SQUARE METAL
ART.-N° 7-02154-02

W: 216 x 216 mm

LUMEN MAX.
400 lm

WATT
5.1 W

CCT
2700 K

COVER WITH METAL FINISH



COOPER STAINLESS STEEL CHROME

DISQ SQUARE
ART.-N° 7-02155-02

W: 216 x 216 mm

25 PROLICHT COLORS



RAL Classic or any other special color on request



The DISQ ROUND | SQUARE inserts can also be equipped with the AURA COVER accessories: softening the light, highlighting the shape and creating a floating colored effect.



MINIMAL TRACK, COLOR 02 BLACK VELEVET | DISQ ROUND, COPPER | AURA COVER: YELLOW



MINIMAL TRACK, COLOR BLACK VELVET | DISQ SQUARE, STAINLESS STEEL | AURA COVER: BLUE






PHOTO | GÜNTHER EGGER

SNOOKER, COLOR 25 GUN METAL, SHINE RING WHITE | SNOOKER, COLOR 25 GUN METAL & COLOR 08 IN THE ARMY

SNOOKER The iconic spherical luminaire SNOOKER is a real eye-catcher on its own or grouped in multiples as a light installation. Configurable in the PROLICHT colors, with an additional KORONA SHINE RING and with adjustable cable lengths, SNOOKER offers plenty of design freedom. The unique MICRO DOT lens provides pure light with optimum glare control.

The integrated lens optics allow beam angles of 32° and 58° while offering a maximum effect with a minimal light emission opening.



SNOOKER
ART.-Nº 7-02409-02

Ø 72 mm

LUMEN MAX.
352 lm
WATT
6.5 W
CCT
2700 K 3000 K 4000 K
BEAMWIDTH
 
MEDIUM VERY WIDE FLOOD
32° 58°
25 PROLICHT COLORS

CAN HAVE ACCESSORY | SHINE RING



WHITE YELLOW ORANGE RED BLUE GREEN




RAL Classic or any other special color on request



PHOTO | ARMIN KUPRIAN

SNOOKER METAL CHROME | SHINE RING WHITE

SNOOKER METAL The new chrome finish of our iconic SNOOKER luminaire provides for a high class feel in every space. Its reflective surface leads to new possibilities to combine elements of the MINIMAL TRACK family and brings highly creative lighting ideas to life.



SNOOKER METAL
ART.-N° 7-02409-02
SNOOKER METAL SHINE
ART.-N° 7-02420-02

Ø 72 mm

LUMEN MAX.

352 lm

WATT

6.5 W

CCT

2700 K

3000 K

4000 K

BEAMWIDTH



MEDIUM

32°



VERY WIDE FLOOD

58°

CAN HAVE ACCESSORY | SHINE RING



WHITE



YELLOW



ORANGE



RED



BLUE



GREEN






PHOTO | STUDIO KERSCHBAUM

SNOOKER, COLOR 27 COPPER MINE, SHINE RING WHITE | SNOOKER, COLOR 29 JAZZ GOLD



PHOTO | ALEXANDER SCHWARZ



INSPIRATION | LFO LENSE



MAAT, LISBOA | PHOTO: NUNO SOUSA DIAS



PHOTO | ARMIN KUPRIAN


HANGOVER SHINE, COLOR 25 GUN METAL, SHINE RING WHITE | HANGOVER KORONA, COLOR 27 COPPER MINE

The HANGOVER PLUG suspended spot together with the PLUG EXSTENSIONS allows a manual adjustment of the wire suspension: the spotlights are available with a rope length of 2 or 4 metres and can be manually shortened or lengthened by rolling into the canopy.

An ingenious docking system guarantees quick replacement and quick locking of the various HANGOVER PLUG modules: this way, the lights can be exchanged at will, giving room for a new look over and over again. The docking system is also available for other product families and guarantees that other luminaires can also be easily mounted (SNOOKER | MELT and OPAL by Tom Dixon)

		
HANGOVER 30 ART.-N° 7-02233-02	HANGOVER 30 MICRO DOT ART.-N° 7-02234-02	HANGOVER 40 ART.-N° 7-02239-02
Ø 28 mm L: 150 300 450 mm	Ø 28 mm L: 150 300 450 mm	Ø 40 mm L: 150 300 mm
LUMEN MAX. 446 lm	LUMEN MAX. 352 lm	LUMEN MAX. 868 lm
WATT 6.5 W	WATT 6.5 W	WATT 10 W
CCT 2700 K 3000 K 4000 K	CCT 2700 K 3000 K 4000 K	CCT 2700 K 3000 K 4000 K
BEAMWIDTH  MEDIUM 26°  VERY WIDE FLOOD 56°	BEAMWIDTH  MEDIUM 32°  VERY WIDE FLOOD 58°	BEAMWIDTH  FLOOD 40°  WIDE FLOOD 52°
25 PROLICHT COLORS	25 PROLICHT COLORS	25 PROLICHT COLORS

CAN HAVE ACCESSORY HANGOVER 30 & 40 | SHINE RING (not available for MICRO DOT)




RAL Classic or any other special color on request



HANGOVER | COLOR 02 BLACK VELVET | CORONA CONE 02 BLACK VELVET



KORONA CONE
The deep reflector directs the light effectively past the cone without changing the light color. The cone can be customized in any of the 25 PRO-LICHT colors.



SHINE RING
The luminaire can also be equipped with a luminous ring in one of 6 differ colors. KORONA SHINE creates colorful accents and atmospheric highlights.

MICRO DOT
The integrated lens optics allow beam angles between 24° and 58°. The available variants with MICRO DOT technology offer maximum effects. JUST LIGHT - NO GLARE






PHOTO | ARMIN KUPRIAN

HANGOVER, COLOR 25 GUN METAL | CORONA CONE, COLOR 27 COPPER MINE




PHOTO | ARMIN KUPRIAN

HANGOVER SHINE, COLOR 25 GUN METAL | SHINE RING WHITE & ORANGE



PHOTO | FELIX GERLACH

HANGOVER | COLOR 25 GUN METAL | CORONA CONE COLOR 19 KISSING APHRODITE

TOM
DIXON
× PROLICHT



MELT MINI is a beautifully distorted small pendant in a modern metal finish. Featuring an intergrated LED module, this luminaire creates a mesmerizing melting hot-blown glass effect when on and a mirror-finish effect when off. The luminaire is produced, using a sophisticated manufacturing technique to achieve the perfect melted orb.



MELT MINI
ART.-N° TD-414-0012XX

DIMENSION

Ø 280 mm

LUMEN MAX.

234 lm

WATT

8 W

CCT

3000 K

COLOR



PHOTO | ARMIN KUPRIAN

TOM
DIXON
× PROLICHT




PHOTO | ARWIN KUPRIAN

TOM
DIXON
× PROLICHT



PHOTO | ARWIN KUPRIAN

MELT MINI | GOLD, COPPER & CHROME



TOM
DIXON
× PROLICHT

PHOTO: CONCEPTNET/ANNA RIEDER

TOM
DIXON
× PROLICHT



OPAL SMALL is a small translucent pendant light. Produced with a high tech manufacturing technique and designed using a recipe of opalescent polycarbonate, which results in a satisfyingly ethereal orb. Coupled with the new Tom Dixon LED, the shatter proof OPAL pendant emits soft, diffused and flattering light.



OPAL LED
ART.-N° TD-414-0032OP

DIMENSION
Ø 250 mm
LUMEN MAX
506 lm
WATT
8 W
CCT
3000 K

TOM
DIXON
× PROLICHT



ACCESSORIES FOR PENDANT INSERTS



RAL Classic or any other special color on request



PHOTO | GUNTHER EGGER



With the optional cable loop components and the various cable roller sizes, an adaptation in length is possible at any time in the simplest way. Individualization in the 25 PROLICHT colors is possible so that the components fit perfectly into the existing room concept.



PHOTO | ARMIN KUPRIAN

With the plug connector, SNOOKER and HANGOVER PLUG luminaires can be easily exchanged at any time.





Various cable loops can be used to create patterns that can be placed anywhere in the room and expanded across ceilings and walls. By offering this creative freedom to the designer, cables of pendant lights can be turned into additional design elements. The MINIMAL TRACK system offers you unprecedented freedom to fulfill your wishes/requirements from a functional and a creative perspective.

The main goal of this system is to bring illumination to the places where it is needed - this means that the MINIMAL TRACK liberates the designer from thinking about where the power outlet is and enables a highly individualistic design vision.













SNOOKER, COLOR 02 BLACK VELVET | OPAL SMALL | HANGOVER, COLOR 25 GUN METAL



MELT MINI CHROME



Minimalistic design, minimal installation effort, tailor-made result in the most simple way - that's the MINIMAL TRACK system. Now it can be equipped with our well-known SNOOKER and HANGOVER inserts to give you even more possibilities to enrich your design concept.






EXACTLY THE LIGHT YOU WANT

Every moment, every day and every situation is different. Up to 64 inserts for the MINIMAL TRACK can be dimmed individually, in groups or together with DALI and CASAMBI. This enables complete control of your lighting atmosphere.



Despite its exceptionally compact size, the MINIMAL TRACK is designed as a DALI track that can be integrated into any lighting control system. It has two conductors dedicated to DALI in order to enable completely individual control of each installed luminaire.



64 ADDRESSES
DALI offers individual control of each single luminaire, with the possibility of managing groups and scenarios.



8 ADDRESSES
The CASAMBI control allows wireless regulation of up to eight groups of fittings, through physical commands or a mobile App.



1 ADDRESS
The PUSH DIM solution offers simple control of all the fittings in the same line that can be easily dimmed with a standard pushbutton.



1 ADDRESS
Simply ON / OFF without any control







PHOTO | ARMIN KUPRIAN




TABLET



MOBILE PHONE




SMART SWITCH



STANDARD SWITCH

CONNECTION EXAMPLE



EXACTLY THE CONTROL YOU NEED

PUSH DIM | 1 ADRESS


All of the inserts are dimmed in parallel and the last scene is stored.

CASAMBI | 8 ADRESSES

Up to eight individual spots or groups and scenes can be controlled with CASAMBI.


DALI 2 | 64 ADRESSES

With DALI, 64 inserts can be individually programmed and saved scenes are available to be fetched from the storage. With this control, every room can be individually programmed or integrated into a holistic DALI solution for the whole object. In addition, a smaller housing of the control can be integrated into switch boxes to save space.



WWW.PROLICHT.AT

CONFIGURATION MAKES A DIFFERENCE



RAL Classic or any other special color on request

Luminaires can play an important role in your room design, which means that you need to have unlimited configurability. And that's what we at PROLICHT can give you. With all our lighting solutions.

Try it out and see for yourself what it means to create your own, tailor-made product from millions of possible combinations - with the help of our unique 3D configurator.

MAKE IT YOURS!

CONFIGURE ONLINE:
PROLICHT.AT/MINIMALTRACK



COLOR
MAKES A
DIFFERENCE



MINIMAL TRACK



BEAMWIDTH | LEGEND

Super Spot	SS	0° - 10°
Spot	S	10° - 25°
Medium	M	25° - 35°
Flood	F	35° - 45°
Wide Flood	WF	45° - 55°
Very Wide Flood	VWF	55° - 65°



IMAGINE MICRO 20

IMAGINE MICRO 35



COLOR TEMPERATURE CCT



BEAMWIDTH

SPOT 18° up to MEDIUM 26°



25 PROLIGHT COLORS



RAL Classic or any other color on request

IMAGINE MICRO

DESCRIPTION	DIMENSION mm	CCT			LUMEN MAX.	WATT	CRI	ART.-N°
IMAGINE MICRO 20	Ø 23 H: 50	2700	3000	4000	236	3.7	90	7-02120-02
IMAGINE MICRO 35	Ø 35 H: 76	2700	3000	4000	669	8.6	90	7-02121-02



HANGOVER PLUG 30

HANGOVER PLUG 40

HANGOVER PLUG MICRO DOT



CAN-HAVE ACCESSORY: SHINE RING



COLOR TEMPERATURE CCT



BEAMWIDTH

SPOT 26° up to VERY WIDE FLOOD 58°



25 PROLIGHT COLORS




RAL Classic or any other color on request

HANGOVER


DESCRIPTION	DIMENSION mm				CCT			LUMEN MAX.	WATT	CRI	ART-N° L150	ART-N° L300	ART-N° L450
HANGOVER PLUG	Ø 28 x	L: 150	L: 300	L: 450	2700	3000	4000	446	6.5	90	7-02233-02	7-02235-02	7-02237-02
HANGOVER PLUG	Ø 40 x	L: 150	L: 300	•	2700	3000	4000	868	9.8	90	7-02239-02	7-02240-02	•
HANGOVER PLUG MICRO	Ø 28 x	L: 150	L: 300	L: 450	2700	3000	4000	352	6.5	90	7-02234-02	7-02236-02	7-02238-02





INSPIRATION | AUREL PETIC

DISQ METAL ROUND



CAN-HAVE ACCESSORY: AURA COVER

YELLOW



ORANGE



RED



BLUE



GREEN



COLOR TEMPERATURE CCT

2700 K



BEAMWIDTH

INDIRECT



DISQ METAL ROUND & SQUARE

COPPER



STAINLESS STEEL



CHROME



DISQ METAL ROUND & SQUARE

DESCRIPTION	DIMENSION mm	CCT			LUMEN MAX.	WATT	CRI	ART.-N°
DISQ ROUND METAL	Ø 206	2700	•	•	400	5.1	90	7-02152-02
DISQ SQUARE METAL	216 x 216	2700	•	•	400	5.1	90	7-02154-02



INSPIRATION | AUREL PETIC

DISQ ROUND



DISQ SQUARE



CAN-HAVE ACCESSORY: AURA COVER

YELLOW



ORANGE



RED



BLUE



GREEN



COLOR TEMPERATURE CCT

2700 K



BEAMWIDTH

INDIRECT



DISQ ROUND & SQUARE (POWDER COATED)

25 PROLIGHT COLORS



RAL Classic or any other color on request

DISQ ROUND & SQUARE

DESCRIPTION	DIMENSION mm	CCT			LUMEN MAX.	WATT	CRI	ART.-N°
DISQ METAL ROUND	Ø 206	2700	•	•	400	5.1	90	7-02153-02
DISQ METAL SQUARE	216 x 216	2700	•	•	400	5.1	90	7-02155-02





SNOOKER



CAN-HAVE ACCESSORY: SHINE RING

WHITE YELLOW ORANGE RED BLUE GREEN



COLOR TEMPERATURE CCT

2700 K 3000 K 4000 K



BEAMWIDTH

MEDIUM 32° up to VERY WIDE FLOOD 58°



SNOOKER

25 PROLICHT COLORS



RAL Classic or any other color on request

SNOOKER

DESCRIPTION	DIMENSION mm	CCT			LUMEN MAX.	WATT	CRI	ART.-N°
SNOOKER	Ø 72	2700	3500	4000	352	6.5	90	7-02232-02



SNOOKER METAL SNOOKER METAL SHINE



CAN-HAVE ACCESSORY: SHINE RING

WHITE YELLOW ORANGE RED BLUE GREEN



COLOR TEMPERATURE CCT

2700 K 3000 K 4000 K



BEAMWIDTH

MEDIUM 32° up to VERY WIDE FLOOD 58°



SNOOKER METAL

CHROME



SNOOKER METAL (CHROME)

DESCRIPTION	DIMENSION mm	CCT			LUMEN MAX.	WATT	CRI	ART.-N°
SNOOKER METAL	Ø 72	2700	3500	4000	352	6.5	90	7-02409-02






MAGIQ MICRO



COLOR TEMPERATURE CCT



BEAMWIDTH

DIRECT



WIDE FLOOD 54°

MAGIQ MICRO


DESCRIPTION	DIMENSION mm	CCT		LUMEN MAX.	WATT	CRI	ART.-N°
MAGIQ MICRO	L: 300	2700	3000	• 365	5.5	90	7-02400-02



MICROLINE



COLOR TEMPERATURE CCT



DIFFUS



MICROLINE

DESCRIPTION	DIMENSION mm		CCT		LUMEN MAX./M	WATT/M	CRI	ART.-N°
MICROLINE	L: 674	(508+166)	2700	3000	• 386	8	90	7-02401-02
	L: 1174	(1008+166)	2700	3000	• 772	15.8	90	7-02402-02
	L: 1674	(1508+166)	2700	3000	• 1158	24	90	7-02403-02



COMPONENTS

ARTICLE	DESCRIPTION	COLOR	ART.-N°
	TRACK POWDER COATED 1000 mm	1-29	350-1885
	TRACK POWDER COATED 2000 mm	1-29	350-1886
	TRACK POWDER COATED 3000 mm	1-29	350-1887
	TRACKMASK 5 m	BLACK	350-1896
	MOUNTING SCREWS Set 50 pieces		800-1427
	X-CONNECTOR	1-29	350-1994
	T-CONNECTOR	1-29	350-1995
	LINEAR CONNECTOR	BLACK	350-1868
	FLAT CORNER CONNECTOR	BLACK	350-1869
	DIHEDRAL CONNECTOR	BLACK	350-1870
	FLEXIBLE CONNECTOR	BLACK	350-1871








	DESCRIPTION	COLOR	ART.-N°
	CURVED TRACK Ø 1600 mm 45°	1-29	350-1894
	CURVED TRACK Ø 1600 mm 90°	1-29	350-1895
	CURVED TRACK Ø 1600 mm 180°	1-29	350-1904
	CURVED CONNECTOR Ø 400 mm 90°	1-29	350-1892
	CURVED CONNECTOR Ø 800 mm 45°	1-29	350-1893
	ENDCAP	BLACK	350-1872
	90° FLAT DUMMY TRACK QUICK INSTALLATION	BLACK	350-1876
	90° DIHEDRAL DUMMY TRACK QUICK INSTALLATION	BLACK	350-1877
	PLUG-CONNECTOR 2/4 m	1-29	800-1428
	PLUG-CONNECTOR 10 m	1-29	800-1429
	PLUG-CONNECTOR OVER TABLE INCL. CABLE ROLLER 1.1 m	1-29	800-1434



ARTICLE	DESCRIPTION	WATT	COLOR	ART.-N°
	WALL/CEILING CABLE LOOP		1-29	350-2060
	WALL/CEILING CABLE ROLLER		1-29	350-2061
	TRACK CABLE LOOP		1-29	350-2062
	TRACK CABLE ROLLER		1-29	350-2063
	SUSPENDED ROLLER		1-29	350-2064
	FEED UNIT END + 2.5 m SUPPLY CABLE		BLACK	350-1866
	FEED UNIT CENTRAL + 2.5 m SUPPLY CABLE		BLACK	350-1867
	DRIVER BOX ENDINSTALLATION ON / OFF 240 x 75 x 35 mm	96	1-29	350-1873
	DRIVER BOX ENDINSTALLATION DALI 240 x 120 x 35 mm	86	1-29	350-1996
	DRIVER BOX ENDINSTALLATION PUSH DIM 240 x 120 x 35 mm	92	1-29	350-1998
	DRIVER BOX ENDINSTALLATION CASAMBI 240 x 120 x 35 mm	86	1-29	350-1899
	DRIVER BOX CENTRAL INSTALLATION ON / OFF 240 x 75 x 35 mm	96	1-29	350-1898



ARTICLE	DESCRIPTION	WATT	COLOR	ART.-N°
	DRIVER BOX CENTRAL INSTALLATION DALI 240 x 120 x 35 mm	86	1-29	350-1997
	DRIVER BOX CENTRAL INSTALLATION PUSH DIM 240 x 120 x 35 mm	92	1-29	350-1900
	DRIVER BOX CENTRAL INSTALLATION CASAMBI 240 x 120 x 35 mm	86	1-29	350-1901
	POWER SUPPLY 48 V	90		350-1875
	REMOTE SET PUSH DIM	92		350-1905
	REMOTE SET CASAMBI	86		350-1906
	REMOTE SET DALI	86		350-1998
	POWER SUPPLY 48 V	320		350-2065
	REMOTE SET PUSH DIM	315		350-2066
	REMOTE SET CASAMBI	310		350-2067
	REMOTE SET DALI	310		350-2068



ARTICLE	DESCRIPTION	COLOR	ART.-N°
	MELT MINI CHROME PLUG-CONNECTOR DALI 2-4 m	1-29	TD-414-0012CH
	MELT MINI CHROME PLUG-CONNECTOR DALI 10 m	1-29	TD-414-0012CH-10M
	MELT MINI CHROME PLUG-CONNECTOR DALI 1.1 m	1-29	TD-414-0012CH-1M
	MELT MINI COPPER PLUG-CONNECTOR DALI 2-4 m	1-29	TD-414-0012CO
	MELT MINI COPPER PLUG-CONNECTOR DALI 10 m	1-29	TD-414-0012CO-10M
	MELT MINI COPPER PLUG-CONNECTOR DALI 1.1 m	1-29	TD-414-0012CO-1M
	MELT MINI GOLD PLUG-CONNECTOR DALI 2-4 m	1-29	TD-414-0012GO
	MELT MINI GOLD PLUG-CONNECTOR DALI 10 m	1-29	TD-414-0012GO-10M
	MELT MINI GOLD PLUG-CONNECTOR DALI 1.1 m	1-29	TD-414-0012GO-1M
	MELT MINI SMOKE PLUG-CONNECTOR DALI 2-4 m	1-29	TD-414-0012SM
	MELT MINI SMOKE PLUG-CONNECTOR DALI 10 m	1-29	TD-414-0012SM-10M
	MELT MINI SMOKE PLUG-CONNECTOR DALI 1.1 m	1-29	TD-414-0012SM-1M
	OPAL SMALL PLUG-CONNECTOR DALI 2-4 m	1-29	TD-414-0032OP
	OPAL SMALL PLUG-CONNECTOR DALI 10 m	1-29	TD-414-0032OP-10M
	OPAL SMALL PLUG-CONNECTOR DALI 1.1 m	1-29	TD-414-0032OP-1M





N 47.142627°
E 11.324450°
OUR HOMEBASE
IN THE ALPS.



EDITOR	Filippo Bettinzoli, PROLIGHT PROLIGHT GmbH Austria 6091 Neu-Götzens Gewerbestraße 9 T +43 5234 33 499 F + 43 5234 33 499 22 marketing@prolicht.at www.prolicht.at
TECHNICAL SUPPORT	Romain Hoffmann
GRAPHIC DESIGN	Tonia Wiedenmann
TEXT	Philipp Juen, Julia Kopp
PRODUCT PHOTOS	Armin Kuprian, Günther Egger
PRODUCT RENDERINGS	viewture.media, brandshoot
EDITION	april 2022



Based on the MINIMAL TRACK system, as result of PROLICHT cooperation with Tom Dixon we designed CODE: a product that merges technological expertise with a unique design vision, an innovation that could only be created together.

DISCOVER MORE ON
www.prolicht.at/code



FOLLOW US ON
INSTAGRAM

WWW.PROLICHT.AT